

PARASITICIDE CHART

CANINE & FELINE



PREVENTION

HEARTWORM

	Heartworms	Fleas	Ticks	Mosquitoes	Sarcoptes Mange	Lice	Ear Mite	Hookworm	Roundworm	Whipworm	Flea Tapeworm	Rabbit Tapeworm	Taenia Tapeworm
Advantage® Multi for Cats (Bayer)	•	•					•	•	•				
Advantage® Multi for Dogs (Bayer)	•	•			•		•	•	•				
Heartgard® for Cats (Merial)	•							•					
Heartgard® for Dogs (Merial)	•												
Heartgard® Plus Chewables (Merial)	•							•	•				
Interceptor® for Cats (Novartis)	•							•	•				
Interceptor® for Dogs (Novartis)	•							•	•	•			
Iverhart Max™ (Virbac)	•							•	•		•		•
Iverhart Plus® Chewables (Virbac)	•							•	•				
Revolution® for Cats (Zoetis)	•	•					•	•	•				
Revolution® for Dogs (Zoetis)	•	•	•		•		•						
Sentinel® Tabs (Novartis)	•	•						•	•	•			
Trifexis® (Elanco)	•	•						•	•	•			
Tri-Heart® Plus (Schering-Plough)	•							•	•				

FLEA & TICK

Adams® Plus Flea & Tick Spray		•	•	○									
Advantage® for Dogs (Bayer)		•				•							
Advantage® II for Cats (Bayer)		•											
Advantage® II for Dogs (Bayer)		•				•							
Bio Spot® Defense Flea & Tick Spot On® for Cats		•	•	•									
Bio Spot® Defense Flea & Tick Spot On® for Dogs		•	•	○									
Bio Spot® Spot On® for Cats		•	•	○									
Bio Spot® Active Care™ Breakaway Flea & Tick Collar for Cats		•	•										
Bio Spot® Active Care™ Breakaway Flea & Tick Collar for Dogs		•	•										
Capstar® for Cats (Novartis)		•											
Capstar® for Dogs (Novartis)		•											
Certifect® for Dogs (Merial)		•	•										
Comfortis® for Cats (Elanco)		•											
Comfortis® for Dogs (Elanco)		•											
Frontline® (Merial)		•	•		•	•							
Frontline® Plus (Merial)		•	•		•	•							
Frontline® Topspot™ for Cats (Merial)		•	•			•							
Frontline® Topspot™ for Dogs (Merial)		•	•			•							
K9 Advantix® (Bayer)		•	•	•	•								
K9 Advantix® II (Bayer)		•	•	•	•	•							
Ovitrol® X-Tend™ Flea & Tick Spot On® for Cats (Vet-Kem)		•	•										
Ovitrol® X-Tend™ Flea & Tick Spot On® for Dogs (Vet-Kem)		•	•										
Ovitrol® X-Tend™ Flea & Tick Spray for Dogs and Cats (Vet-Kem)		•	•										
Parastar™ (Novartis)		•	•			•							
Parastar™ Plus (Novartis)		•	•		•	•							
PowerBand™ Flea & Tick Collar For Dogs (Vet-Kem)		•	•										
Scalibor® ProtectorBand for Dogs		•	•										
Seresto® Collar for Cats (Bayer)		•	•										
Seresto® Collar for Dogs (Bayer)		•	•	•	•								
Sergeant's® Pronyl OTC® Plus for Dogs (Sergeant's)		•	•			•							
Spectra Sure® Flea & Tick Spray for Dogs and Cats (Spectra)		•	•										
Vetri-Repel Flea & Tick Spray (Vetri-Science)		○	○	○									
Vetri-Repel Flea & Tick Wipes (Vetri-Science)		○	○	○									
Vetri-Science® Flea & Tick Defense for Cats and Kittens		•	•			•							
Vetri-Science® Flea & Tick Defense for Dogs and Puppies		•	•			•							
Vet's Best™ Natural Anti-Flea Easy Spray Shampoo		•											

DEWORMER

Droncit® for Cats (Bayer)											•	•	•
Droncit® for Dogs (Bayer)											•	•	•
Droncit® Injectable (Bayer)											•	•	•
Drontal® Plus (Bayer)								•	•	•	•	•	•
D-Worm™ Combo								•	•	•	•	•	•
D-Worm™ Tablets for Large Dogs								•	•	•	•	•	•
Evict® Liquid Wormer for Puppies and Dogs								•	•	•	•	•	•
Panacur® C Canine Dewormer (Intervet)								•	•	•	•	•	•
Safe-Guard® Canine Dewormer Granules (Intervet)								•	•	•	•	•	•

Fleas, ticks and mosquitoes can pose serious risks to your pet's health and turn summer playtime into painful, itchy, scratchy misery! We carry the top and competitive brands of preventatives that pack a whole lot of protective muscle into one small, monthly application.

DID YOU KNOW?

A single flea can bite your pet 400 times a day or more. Imagine a coat full of them

Lyme disease infection usually occurs after the deer tick has been attached to your pet for at least 18 hours.

There is no effective treatment for heartworm disease in cats so it's vital that preventative measures be taken for them.

Deworming Chart

Puppies

- Every 2 weeks until 3 months of age.
- Once/month from 3 to 6 months of age.
- Four time/year after 6 months of age.

Adults

- Treat regularly considering potential exposure to parasites and prepatent periods.
- A continued surveillance of parasite prevalence in your area is recommended.

Lactating Dogs

- Lactating dogs should be treated concurrently with puppies.

Newly Acquired Puppies or Dogs

- Immediately then repeat after 2 weeks then follow guidelines above.



800-344-6337
LambertVetSupply.com